INDEX TO VOLUME 106

Abdelsalam, M. G., R. J. Stern, P. Copeland, F. M. Elfaki, B. Elhur, and F. M. Ibrahim. *The Neoproterozoic Keraf Suture in NE Sudan: Sinistral transpression along the eastern margin of West Gondwana*, 133

Age and deformation of the Longtown Metagranite, South Carolina Piedmont: A possible constraint on the origin of the Carolina Terrane [C. A. Barker, D. T. Secor, Jr., J. R. Pray, and J. E. Wright], 713

The Age of the Sept Iles layered mafic intrusion, Canada: Implications for the late Neoproterozoic/Cambrian history of southeastern Canada [M. D. Higgins and O. van Breemen], 421

Anomalously low temperature orthopyroxene, spinel, and sapphirine occurrences in metasediments from the Bamble amphibolite-to-granulite facies transition zone (South Norway): Possible evidence for localized action of saline fluids [T. G. Nijland, J. L. R. Touret, and D. Visser], 575

Are outliers of the Huronian Supergroup preserved in structures associated with the collapse of the Sudbury Impact Crater? [D. H. Rousell and D. G. F. Long], 407

Aspler, L. *See* Chiarenzelli, J.

Attoh, K. *High-pressure granulite facies metamorphism in the Pan-African Dahomeyide Orogen, West Africa*, 236

Bailey, C. M., and R. P. Tollo. *Late Neoproterozoic extension-related magma emplacement in the Central Appalachians: An example from the Polly Wright Cove Pluton*, 347

Bale, R. *See* Offler, R.

The Baltica-Laurentia connection: Sveconorwegian (Grenvillian) metamorphism, cooling, and unroofing in the Bamble Sector, Norway [M. A. Cosca, K. Mezger, and E. J. Essene], 539

Barker, C. A., D. T. Secor, Jr., J. R. Pray, and J. E. Wright. *Age and deformation of the Longtown Metagranite, South Carolina Piedmont: A possible constraint on the origin of the Carolina Terrane*, 713

Bennett, M. R. *See* Glasser, N. T.

Bingen, B., D. Demaiffe, and O. van Breemen. *The 616 Ma old Egersund basaltic dike swarm, SW Norway, and late Neoproterozoic opening of the Iapetus Ocean*, 565

Bookstein, F. L., author of Morphometric Tools for Landmark Data. *Review* by R. Lockwood, 759

Boudreau, A. E. *See* Meurer, W. P.

Bradley, D., and L. Hanson. *Paleoslope analysis of slump folds in the Devonian flysch of Maine*, 305

Bradley, R. S., and P. D. Jones, authors of Climate since A.D. 1500. *Review* by J. V. Smith, 115

Carbon isotope anomaly in marbles associated with eclogites from the Dabie Mountains in China [Y.-F. Zheng, B. Fu, B. Gong, and Z.-R. Wang], 97

Ceuleneer, G. *See* Seyler, M.

Chalokwu, C. I. *See* Grant, N. K.

Channel dynamics, sediment transport, and the slope of alluvial fans [K. X. Whipple, G. Parker, C. Paola, and D. Mohrig], 677

Chiarenzelli, J., L. Aspler, M. Villeneuve, and J. Lewry. *Early Proterozoic evolution of the Saskatchewan Craton and its allochthonous cover, Trans-Hudson Orogen*, 247

Chin, A. *On the stability of step-pool mountain streams*, 59

Climate since. A.D. 1500 (rev. ed.), by R. S. Bradley and P. D. Jones. *Review* by J. V. Smith, 115

Compaction of igneous cumulates part II: Compaction and the development of igneous foliations [W. P. Meurer and A. E. Boudreau], 293

Compaction of igneous cumulates part I: Geochemical consequences for cumulates and liquid fractionation trends [W. P. Meurer and A. E. Boudreau], 281

Continental influence on Canadian cordilleran terranes from Nd isotope study, and significance for crustal growth processes [P. J. Patchett and G. E. Gehrels], 269

Continuation of the Mozambique Belt into East Antarctica: Grenville-Age metamorphism and polyphase Pan-African high-grade events in central Dronning Maud Land [J. Jacobs, C. M. Fanning, F. Henjes-Kunst, M. Olesch, and H.-J. Paech], 385

Copeland, P. *See* Abdelsalam, M. G.

Cosca, M. A., K. Mezger, and E. J. Essene. *The Baltica-Laurentia connection: Sveconorwegian (Grenvillian) metamorphism, cooling, and unroofing in the Bamble Sector, Norway*, 539

Crawford, K. R. *See* Glasser, N. T.

Crystallinity and b_0 spacing of K-white micas in a Paleozoic accretionary complex, eastern Australia: Metamorphism, paleogeotherms, and structural style of an underplated sequence [R. Offler, J. M. Miller, D. R. Gray, D. A. Foster, and R. Bale], 495

The cumulate paradigm affirmed [N. K. Grant and C. I. Chalokwu], 641

Dade, W. B., and P. F. Friend. *Grain-size, sediment-transport regime, and channel slope in alluvial rivers*, 661

Dahlgren, S. *See* Meert, J. G.

Dallmeyer, R. D., R. Handler, F. Neubauer, and H. Fritz. *Sequence of thrusting within a thick-skinned tectonic wedge: Evidence from $^{40}Ar/^{39}Ar$ and Rb-Sr ages from the Austroalpine Nappe Complex of the Eastern Alps*, 71

Demaiffe, D. *See* Bingen, B.

Demarchi, G., J. E. Quick, S. Sinigoi, and A. Mayer. *Pressure gradient and original orientation of a lower-crustral intrusion in the Ivrea-Verbano Zone, northern Italy*, 609

Denison, R. E., D. W. Kirkland, and R. Evans. *Using strontium isotopes to determine the age and origin of gypsum and anhydrite beds*, 1

Dent, L. *See* Erikson, J. P.

Dextral Pan-African shear along the southwestern edge of the Achankovil Shear Belt, South India: Constraints on Gondwana reconstruction: A discussion [H. M. Rajesh, M. Santosh, and M. Yoshida], 105

Dextral Pan-African shear along the southwestern edge of the Achankovil Shear Belt, South India: Constraints on Gondwana reconstruction: A reply [P. E. Sacks, C. G. Nambiar, and L. J. Walters], 110

Dynamic equilibrium between an active uplift and the Sevier River, Utah [D. J. Harbor], 181

Early Proterozoic evolution of the Saskatchewan Craton and its allochthonous cover, Trans-Hudson Orogen [J. Chiarenzelli, L. Aspler, M. Villeneuve, and J. Lewry], 247

Earth's oldest reported glaciation: Physical and chemical evidence from the Archean Mozaan Group (~2.9 Ga) of South Africa [G. M. Young, V. von Brunn, D. J. C. Gold, and W. E. L. Minter], 523

Eglington, B. M. *See* Wareham, C. D.

Eide, E. A. *See* Meert, J. G.

Elfaki, F. M. *See* Abdelsalam, M. G.

Elhur, B., *See* Abdelsalam, M. G.

Erikson, J. P., J. L. Pindell, G. D. Karner, L. J. Sonder, E. Fuller, and L. Dent. *Neogene sedimentation and tectonics in the*

Cibao Basin and northern Hispaniola: An example of basin evolution near a strike-slip-dominated plate boundary, 473
Errata, 116
Essene, E. J. *See* Cosca, M. A.
Evans, J. A., W. R. Fitche, and R. J. Muir. *Laurentian clasts in a Neoproterozoic tillite from Scotland*, 361
Extraction of primary abyssal tholeiite from a stratified plume [S. Maaløe], 163
Fanning, C. M. *See* Jacobs, J.
Fe-illites in a Proterozoic deep marine slope deposit in the Penganga Group of the Pranhita Godavari Valley: Their origin and environmental significance [S. Patranabis Deb and M. Fukuoka], 741
Fitche, W. R. *See* Evans, J. A.
Formento-Trigilio, M. L., and F. J. Pazzaglia. *Tectonic geomorphology of the Sierra Nacimiento: Traditional and new techniques in assessing long-term landscape evolution in the southern Rocky Mountains*, 433
Foster, D. A. *See* Offler, R.
Franz, L., and D. E. Harlow. *High-grade K-feldspar veining in granulites from the Ivrea-Verbano Zone, northern Italy: Fluid flow in the lower crust and implications for granulite facies genesis*, 455
Frerichs, W. E. *See* Lang, H. R.
Friend, P. F. *See* Dade, W. B.
Fritz, H. *See* Dallmeyer, R. D.
Fu, B. *See* Zheng, Y.-F.
Fuller, E. *See* Erikson, J. P.
Gans, P. *See* Lueddecke, S. B.
Gehrels, G. E. *See* Patchett, P. J.
A Geological Companion to Greece and the Aegean, by M. D. Higgins and R. Higgins. *Review* by M. Holness, 645
Geomorphic and sedimentological controls on the effectiveness of an extreme flood [F. J. Magilligan, J. D. Phillips, L. A. James, and B. Gomez], 87
Gibling, M. R. *See* Heckel, P. H.
Glass inclusions in Mariana arc phenocrysts: A new perspective on magmatic evolution in a typical intra-oceanic arc [J. Lee and R. J. Stern], 19
Glasser, N. T., K. R. Crawford, M. J. Hambrey, M. R. Bennett, and D. Huddart. *Lithological and structural controls on the surface wear characteristics of glaciated metamorphic bedrock surfaces: Ossian Sarsfjellet, Svalbard*, 319
Gold, D. J. C. *See* Young, G. M.
Gomez, B. *See* Magilligan, F. J.
Gong, B. *See* Zheng, Y.-F.
Grain-size, sediment-transport regime, and channel slope in alluvial rivers [W. B. Dade and P. F. Friend], 661
Grant, N. K., and C. I. Chalokwu. *The cumulate paradigm affirmed*, 641
Grantham, G. H. *See* Wareham, C. D.
Gray, D. R. *See* Offler, R.
Hambrey, M. J. *See* Glasser, N. T.
Handler, R. *See* Dallmeyer, R. D.
Hanson, L. *See* Bradley, D.
Hanson, L. M. *See* Wells, M. L.
Harbor, D. J. *Dynamic equilibrium between an active uplift and the Sevier River, Utah*, 181
Harlow, D. E. *See* Franz, L.
Heckel, P. H., M. R. Gibling, and N. R. King. *Stratigraphic model for glacial-eustatic Pennsylvanian cyclothems in highstand nearshore detrital regimes*, 373
Heizler, M. T. *See* Miller, J. S.
Henjes-Kunst, F. *See* Jacobs, J.
Hidden terranes in the northern Apennines, Italy: A record of Late Cretaceous-Oligocene transpressional tectonics [M. Morroni and B. Treves], 149
Higgins, M. D., and R. Higgins, authors of A Geological Companion to Greece and the Aegean. *Review* by M. Holness, 645
Higgins, M. D., and O. van Breemen. *The Age of the Sept Iles layered mafic intrusion, Canada: Implications for the late Neoproterozoic/Cambrian history of southeastern Canada*, 421
Higgins, R. *See* Higgins, M. D.
High-grade K-feldspar veining in granulites from the Ivrea-Verbano Zone, northern Italy: Fluid flow in the lower crust and implications for granulite facies genesis [L. Franz and D. E. Harlow], 455
High-pressure granulite facies metamorphism in the Pan-African Dahomeyide Orogen, West Africa [K. Attoh], 236
Hoisch, T. D. *See* Wells, M. L.
Holness, M. *See* Higgins, M. D.
Hoyt, D. V., and K. H. Schatten, authors of The Role of the Sun in Climate Change. *Review* by R. C. Srivastava, 645
Huddart, D. *See* Glasser, N. T.
Ibrahim, F. M. *See* Abdelsalam, M. G.
Identification of sequence boundaries within cyclic strata of the lower Permian of Kansas, USA: Problems and alternatives [K. B. Miller and R. R. West], 119
The influence of field sampling area on estimates of stratigraphic completeness [J. C. Tipper], 727
Ikeda, H. *See* Wohl, E. E.
Is the cumulate paradigm at risk?: An extended discussion of the cumulate paradigm reconsidered [S. A. Morse], 367
Is the cumulate paradigm at risk?: A Reply [A. R. McBirney], 370
Jacobs, J., C. M. Fanning, F. Henjes-Kunst, M. Olesch, and H.-J. Paech. *Continuation of the Mozambique Belt into East Antarctica: Grenville-Age metamorphism and polyphase Pan-African high-grade events in central Dronning Maud Land*, 385
Jacobs, J. *See* Wareham, C. D.
James, L. A. *See* Magilligan, F. J.
Jones, P. D. *See* Bradley, R. S.
Karner, G. D. *See* Erikson, J. P.
Kienast, J.-R. *See* Seyler, M.
Kimberlites, Orangeites, Lamproites, Melilitites, and Minettes: A Petrographic Atlas, by R. Mitchell. *Review* by J. V. Smith, 759
King, N. R. *See* Heckel, P. H.
Kirkland, D. W. *See* Denison, R. E.
Kovalevich, V. M., T. M. Peryt, and O. I. Petrichenko. *Secular variation in seawater chemistry during the Phanerozoic as indicated by brine inclusions in halite*, 695
Lang, H. R., and W. E. Frerichs. *New planktic foraminiferal data documenting Coniacian age for Laramide Orogeny onset and paleoceanography in southern Mexico*, 635
Late Neoproterozoic extension-related magma emplacement in the Central Appalachians: An example from the Polly Wright Cove Pluton [C. M. Bailey and R. P. Tollo], 347
Laurentian clasts in a Neoproterozoic tillite from Scotland [J. A. Evans, W. R. Fitche, and R. J. Muir], 361
Lee, J., and R. J. Stern. *Glass inclusions in Mariana arc phenocrysts: A new perspective on magmatic evolution in a typical intra-oceanic arc*, 19
Lewry, J. *See* Chiarenzelli, J.
Lin, A., and S-j. Lin. *Tree damage and surface displacement: The 1931 M 8.0 Fuyun earthquake*, 751
Lin, S-j. *See* Lin, A.
Lithological and structural controls on the surface wear charac-

teristics of glaciated metamorphic bedrock surfaces: Ossian Sarsfiellet, Svalbard [N. T. Glasser, K. R. Crawford, M. J. Hambrey, M. R. Bennett, and D. Huddart], 319
Lockwood, R. *See* Bookstein, F. L.
Log ratio methods for establishing a reference frame for chemical change [A. Schedl], 211
Long, D. G. F. *See* Rousell, D. H.
Loubet, M. *See* Seyler, M.
Lueddecke, S. B., N. Pinter, and P. Gans. *Plio-Pleistocene ash falls, sedimentation, and range-front faulting along the White-Inyo Mountains front, California*, 511
Maaløe, S. *Extraction of primary abyssal tholeiite from a stratified plume*, 163
Magilligan, F. J., J. D. Phillips, L. A. James, and B. Gomez. *Geomorphic and sedimentological controls on the effectiveness of an extreme flood*, 87
Magmatic underplating, metamorphic evolutin, and ductile shearing in a Mesozoic lower crustal–upper mantle unit (Tinaquillo, Venezuela) of the Caribbean Belt [M. Seyler, J.-L. Paquette, G. Ceuleneer, J.-R. Kienast, and M. Loubet], 35
The Mahogany Peaks Fault, a Late Cretaceous-Paleocene(?) normal fault in the hinterland of the Sevier Orogen [M. L. Wells, T. D. Hoisch, M. T. Peters, D. M. Miller, E. D. Wolff, and L. M. Hanson], 623
Mayer, A. *See* Demarchi, G.
McBirney, A. R. *Is the cumulate paradigm at risk?: A Reply*, 370
Meert, J. G., T. H. Torsvik, E. A. Eide, and S. Dahlgren. *Tectonic significance of the Fen Province, S. Norway: Constraints from geochronology and paleomagnetism*, 553
Metcalf, R. V. *See* Wallin, E. T.
Meurer, W. P., and A. E. Boudreau. *Compaction of igneous cumulates part I: Geochemical consequences for cumulates and liquid fractionation trends*, 281
Meurer, W. P., and A. E. Boudreau. *Compaction of igneous cumulates part II: Compaction and the development of igneous foliations*, 293
Mezger, K. *See* Cosca, M. A.
Miller, C. F. *See* Miller, J. S.
Miller, D. M. *See* Wells, M. L.
Miller, J. L. *See* Offler, R.
Miller, J. S., M. T. Heizler, and C. F. Miller. *Timing of magmatism, basin formation, and tilting at the west edge of the Colorado River Extensional Corridor: Results from single-crystal $^{40}Ar/^{39}Ar$ geochronology of Tertiary rocks in the Old Woman Mountains area, southeastern California*, 195
Miller, K. B., and R. R. West. *Identification of sequence boundaries within cyclic strata of the lower Permian of Kansas, USA: Problems and alternatives*, 119
Minimum age of initiation of collision between India and Asia north of Everest based on the subsidence history of the Zhepure Mountain Section [D. B. Rowley], 229
Minter, W. E. L. *See* Young, G. M.
Mitchell, R., author of Kimberlites, Orangeites, Lamproites, Melilites, and Minettes: A Petrographic Atlas. *Review* by J. V. Smith, 759
Mohrig, D. *See* Whipple, K. X.
Morphometric Tools for Landmark Data, by F. L. Bookstein. *Review* by R. Lockwood, 759
Morse, S. A. *Is the cumulate paradigm at risk? An extended discussion of the cumulate paradigm reconsidered*, 367
Muir, R. J. *See* Evans, J. A.
Nambiar, C. G. *See* Sacks, P. E.
Neogene sedimentation and tectonics in the Cibao Basin and northern Hispaniola: An example of basin evolution near a strike-slip-dominated plate boundary [J. P. Erikson, J. L. Pindell, G. D. Karner, L. J. Sonder, E. Fuller, and L. Dent], 473
The Neoproterozoic Keraf Suture in NE Sudan: Sinistral transpression along the eastern margin of West Gondwana [M. G. Abdelsalam, R. J. Stern, P. Copeland, F. M. Elfaki, B. Elhur, and F. M. Ibrahim], 133
Neubauer, F. *See* Dallmeyer, R. D.
New planktic foraminiferal data documenting Coniacian age for Laramide Orogeny onset and paleoceanography in southern Mexico [H. R. Lang and W. E. Frerichs], 635
Nijland, T. G., J. L. R. Touret, and D. Visser. *Anomalously low temperature orthopyroxene, spinel, and sapphirine occurrences in metasediments from the Bamble amphibolite-to-granulite facies transition zone (South Norway): Possible evidence for localized action of saline fluids*, 575
Offler, R., J. M. Miller, D. R. Gray, D. A. Foster, and R. Bale. *Crystallinity and b_0 spacing of K-white micas in a Paleozoic accretionary complex, eastern Australia: Metamorphism, paleogeotherms, and structural style of an underplated sequence*, 495
Olesch, M. *See* Jacobs, J.
On the stability of step-pool mountain streams [A. Chin], 59
Paech, H.-J. *See* Jacobs, J.
Paleoslope analysis of slump folds in the Devonian flysch of Maine [D. Bradley and L. Hanson], 305
Pankhurst, R. J. *See* Wareham, C. D.
Paola, C. *See* Whipple, K. X.
Paquette, J.-L. *See* Seyler, M.
Parker, G. *See* Whipple, K. X.
Patchett, P. J., and G. E. Gehrels. *Continental influence on Canadian cordilleran terranes from Nd isotope study, and significance for crustal growth processes*, 269
Patranabis Deb, S., and M. Fukuoka. *Fe-illites in a Proterozoic deep marine slope deposit in the Penganga Group of the Pranhita Godavari Valley: Their origin and environmental significance*, 741
Patterns of bedrock channel erosion on the Boso Peninsula, Japan [E. E. Wohl and H. Ikeda], 331
Pazzaglia, J. *See* Formento-Trigilio, M. L.
Pb, Nd, and Sr isotope mapping of Grenville-age crustal provinces in Rodinia [C. D. Wareham, R. J. Pankhurst, R. J. Thomas, B. C. Storey, G. H. Grantham, J. Jacobs, and B. M. Eglington], 645
Peryt, T. M. *See* Kovalevich, V. M.
Peters, M. T. *See* Wells, M. L.
Petrichenko, O. I. *See* Kovalevich, V. M.
Phillips, J. D. *See* Magilligan, F. J.
Pindell, J. L. *See* Erikson, J. P.
Pinter, N. *See* Lueddecke, S. B.
Plio-Pleistocene ash falls, sedimentation, and range-front faulting along the White-Inyo Mountains front, California [S. B. Lueddecke, N. Pinter, and P. Gans], 511
Pray, J. R. *See* Barker, C. A.
Pressure gradient and original orientation of a lower-crustal intrusion in the Ivrea-Verbano Zone, northern Italy [G. Demarchi, J. E. Quick, S. Sinigoi, and A. Mayer], 609
Quick, J. E. *See* Demarchi, G.
Rajesh, H. M., M. Santosh, and M. Yoshida. *Dextral Pan-African shear along the southwestern edge of the Achankovil Shear Belt, South India: Constraints on Gondwana reconstruction: A discussion*, 105
Reviews, 115, 645, 759
The Roll of the Sun in Climate Change, by D. V. Hoyt and K. H. Schatten. *Review* by R. C. Srivastava, 647
Rousell, D. H. and D. G. F. Long. *Are outliers of the Huronian*

Supergroup preserved in structures associated with the collapse of the Sudbury Impact Crater?, 407
Rowley, D. B. *Minimum age of initiation of collision between India and Asia north of Everest based on the subsidence history of the Zhepure Mountain Section*, 229
Sacks, P. E., C. G. Nambiar, and L. J. Walters. *Dextral Pan-African shear along the southwestern edge of the Achankovil Shear Belt, South India: Constraints on Gondwana reconstruction: A reply*, 110
Santosh, M. *See*, Rajesh, H. M.
Schatten, K. H. *See* Hoyt, D. V.
Schedl, A. *Log ratio methods for establishing a reference frame for chemical change*, 211
Secor, D. T., Jr. *See* Barker, C. A.
Secular variation in seawater chemistry during the Phanerozoic as indicated by brine inclusions in halite [V. M. Kovalevich, T. M. Peryt, and O. I. Petrichenko], 695
Sequence of thrusting within a thick-skinned tectonic wedge: Evidence from $^{40}Ar/^{39}Ar$ *and Rb-Sr ages from the Austroalpine Nappe Complex of the Eastern Alps* [R. D. Dallmeyer, R. Handler, F. Neubauer, and H. Fritz], 71
Seyler, M., J.-L. Paquette, G. Ceuleneer, J.-R. Kienast, and M. Loubet. *Magmatic underplating metamorphic evolutin, and ductile shearing in a Mesozoic lower crustal-upper mantle unit (Tinaquillo, Venezuela) of the Caribbean Belt*, 35
Sinigoi, S. *See* Demarchi, G.
The 616 Ma old Egersund basaltic dike swarm, SW Norway, and late Neoproterozoic opening of the Iapetus Ocean [B. Bingen, D. Demaiffe, and O. van Breemen], 565
Smith, J. V. *See* Bradley, R. S.
Smith, J. V. *See* Mitchell, R.
Sonder, L. J. *See* Erikson, J. P.
Srivastava, R. S. *See* Hoyt, D. V.
Stern, R. J. *See* Lee, J.
Stern, R. J. *See* Abdelsalam, M. G.
Storey, B. C. *See* Wareham, C. D.
Stratigraphic model for glacial-eustatic Pennsylvanian cyclothems in highstand nearshore detrital regimes [P. H. Heckel, M. R. Gibling, and N. R. King], 373
Style guidelines for authors, 117
Supra-subduction zone ophiolite formed in an extensional forearc: Trinity Terrane, Klamath Mountains, California [E. T. Wallin and R. V. Metcalf], 591
Tectonic geomorphology of the Sierra Nacimiento: Traditional and new techniques in assessing long-term landscape evolution in the southern Rocky Mountains [M. L. Formento-Trigilio and F. J. Pazzaglia], 433
Tectonic significance of the Fen Province, S. Norway: Constraints from geochronology and paleomagnetism [J. G. Meert, T. H. Torsvik, E. A. Eide, and S. Dahlgren], 553
Thomas, R. J. *See* Wareham, C. D.
Timing of magmatism, basin formation, and tilting at the west edge of the Colorado River Extensional Corridor: Results from single-crystal $^{40}Ar/^{39}Ar$ *geochronology of Tertiary rocks in the Old Woman Mountains area, southeastern California* [J. S. Miller, M. T. Heizler, and C. F. Miller], 195
Tipper, J. C. *The influence of field sampling area on estimates of stratigraphic completeness*, 727
Tollo, R. P. *See* Bailey, C. M.
Torsvik, T. H. *See* Meert, J. G.
Touret, J. L. R. *See* Nijland, T. G.
Tree damage and surface displacement: The 1931 M 8.0 Fuyun earthquake [A. Lin and S-j. Lin], 751
Using strontium isotopes to determine the age and origin of gypsum and anhydrite beds [R. E. Denison, D. W. Kirkland, and R. Evans], 1
van Breemen, O. *See* Higgins, M. D.
van Breemen, O. *See* Bingen, B.
Villeneuve, M. *See* Chiarenzelli, J.
Visser, D. *See* Nijland, T. G.
von Brunn, V. *See* Young, G. M.
Wallin, E. T., and R. V. Metcalf. *Supra-subduction zone ophiolite formed in an extensional forearc: Trinity Terrane, Klamath Mountains, California*, 591
Walters, L. J. *See* Sacks, P. E.
Wang, Z.-R. *See* Zheng, Y.-F.
Wareham, C. D., R. J. Pankhurst, R. J. Thomas, B. C. Storey, G. H. Grantham, J. Jacobs, and B. M. Eglington. *Pb, Nd, and Sr isotope mapping of Grenville-age crustal provinces in Rodinia*, 645
Wells, M. L., T. D. Hoisch, M. T. Peters, D. M. Miller, E. D. Wolff, and L. M. Hanson. *The Mahogany Peaks Fault, a Late Cretaceous–Paleocene(?) normal fault in the hinterland of the Sevier Orogen*, 623
West, R. R. *See* Miller, K. B.
Whipple, K. X., G. Parker, C. Paola, and D. Mohrig. *Channel dynamics, sediment transport, and the slope of alluvial fans*, 677
Wohl, E. E., and H. Ikeda. *Patterns of bedrock channel erosion on the Boso Peninsula, Japan*, 331
Wolff, E. D. *See* Wells, M. L.
Wright, J. E. *See* Barker, C. A.
Yoshida, M. *See* Rajesh, H. M.
Young, G. M., V. von Brunn, D. J. C. Gold, and W. E. L. Minter. *Earth's oldest reported glaciation: Physical and chemical evidence from the Archean Mozaan Group (~2.9 Ga) of South Africa*, 523
Zheng, Y.-F., B. Fu, B. Gong, and Z.-R. Wang. *Carbon isotope anomaly in marbles associated with eclogites from the Dabie Mountains in China*, 97